

**911/912/911 Turbo (930)**

Approved makes of winter tyres

As at: 05/2013

Type 911/912		All 911/912 up to model year 1989											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
15-inch	6J x 15	36	FA/RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes
	7J x 15	36	RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes
	7J x 15	23	FA/RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes
16-inch	6J x 16	36	FA/RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes
	7J x 16	23	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
					91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
	94 V XL			205/55 R16 M+S	94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
					91 H	Continental	TS 810	—	-	-	-	A	Yes
	8J x 16	11	RA	205/55 R16 M+S	94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes

Type 930		911 Turbo (930), 911 Carrera "Turbo Look"											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
15-inch *)	6J x 15	36	FA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes
	7J x 15	23	RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
16-inch	6J x 16	36	FA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes
	7J x 16	23	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
					91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
	94 V XL			205/55 R16 M+S	94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
					91 H	Continental	TS 810	—	-	-	-	A	Yes
	7J x 16	23	FA	205/55 R16 M+S	94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
8J x 16	23,3 /10,6	RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes	
				94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes	
				94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes	
				94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes	

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Exception: The tyres listed here without a specification code are also approved without restriction.

Speed index:  
T = 190 km/h  
H = 210 km/h  
V = 240 km/h

Snow chain clearance only without spacers.

\*) Only for 911 Carrera "Turbo Look".

Use (in the event of several entries, depending on FA/RA combinations):

A: For all areas  
B: For frequent motorway journeys  
C: For areas with a lot of snow

## Approved makes of winter tyres

Type 914		914/6 up to model year 1972												
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance	
15-inch	5.5 J x 15	42	FA/RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes	
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes	
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes	
	6J x 15	36	FA/RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes	
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes	
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes	
	7J x 15	23	RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	No	
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	No	
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	No	
16-inch	6J x 16	36	FA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	No	
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	No	
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	No	
	7J x 16	23	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	No	
					91 H	Continental	TS 810	—	-	-	-	A	No	
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	No	
	7J x 16	23	FA/RA	205/55 R16 M+S	94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	No	
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	No	
					91 H	Continental	TS 810	—	-	-	-	A	No	
						94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	No
						94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	No
						94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Exception: The tyres listed here without a specification code are also approved without restriction.

Speed index:  
T = 190 km/h  
H = 210 km/h  
V = 240 km/h

Snow chain clearance only without spacers.

Use (in the event of several entries, depending on FA/RA combinations):

- A: For all areas  
B: For frequent motorway journeys  
C: For areas with a lot of snow

Type 924		924 Turbo up to model year 1982											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
15-inch	5.5 J x 15	53	FA/RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes
	6J x 15	52	FA/RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes
7J x 15	52	RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	No	
				91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	No	
				91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	No	
16-inch	6J x 16	52,3/53	FA/RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	No
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	No
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	No
	7J x 16	52,3/53	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	No
					91 H	Continental	TS 810	—	-	-	-	A	No
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	No
94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	No					
94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	No					

Type 924		924 Carrera GT											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
15-inch	6J x 15	36	FA/RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes
	7J x 15	36	RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes
7J x 15	23	FA/RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes	
				91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes	
				91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes	
16-inch	6J x 16	36	FA/RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes
	7J x 16	23	FA/RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
					91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
94 V XL	Nokian	WR G2	205/55 R16 M+S	94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes	
				94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes	
				91 H	Continental	TS 810	—	-	-	-	A	Yes	
8J x 16	11	RA	205/55 R16 M+S	94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes	
				94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes	
				94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes	
7J x 16	23	FA	225/50 R16 M+S	93 H	Continental	TS 810	—	-	-	-	A	Yes	
				96 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes	
				96 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes	
	8J x 16	11	RA	225/50 R16 M+S	93 H	Continental	TS 810	—	-	-	-	A	Yes
					96 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes
					96 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes

Type 924		924 S											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
15-inch	5.5 J x 15	53	FA/RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes
	6J x 15	52	FA/RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes
7J x 15	52	RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	No	
				91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	No	
				91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	No	
16-inch	6J x 16	52,3/53	FA/RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	No
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	No
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	No
	7J x 16	52,3/55	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	No
					91 H	Continental	TS 810	—	-	-	-	A	No
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	No
94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	No					
94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	No					

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Exception: The tyres listed here without a specification code are also approved without restriction.

Speed index:  
T = 190 km/h  
H = 210 km/h  
V = 240 km/h

Snow chain clearance only without spacers.

Use (in the event of several entries, depending on FA/RA combinations):

- A: For all areas
- B: For frequent motorway journeys
- C: For areas with a lot of snow

Type 944		944, S, S2 up to model year 1986															
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance				
15-inch	6J x 15	36	FA/RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes				
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes				
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes				
	7J x 15	23	RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes				
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes				
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes				
16-inch	6J x 16	36	FA/RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes				
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes				
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes				
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes				
					7J x 16	23	RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes
									94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
	7J x 16	23	FA/RA	205/55 R16 M+S	94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes				
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes				
					91 H	Continental	TS 810	—	-	-	-	A	Yes				
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes				
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes				
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes				
8J x 16	10,6 23,3	RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes					
				94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes					
				94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes					
				94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes					

Type 944		944 Turbo up to model year 1986											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
15-inch	7J x 15	23	RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes
16-inch	7J x 16	23	FA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes
	8J x 16	10,6 23,3	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
					91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes					
94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes					

Type 944		944, S, Turbo, Turbo S from 1987 to 1991 with standard or sports chassis, S2 with standard chassis											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
15-inch	7J x 15 *	52	RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes
16-inch	7J x 16	52,3/55	FA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes
	8J x 16	52,3/52	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
					91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes					
94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes					
17-inch	7,5J x 17 **	65	FA	225/45 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	No
	9J x 17 ***)	55	RA	255/40 R17 M+S	98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No
	8J x 17 ***)	52	FA	225/45 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	No
	9,5J x 17 ***)	68	RA	255/40 R17 M+S	98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No

Type 944		Turbo, S2 with R01 chassis from 1987 to 1991															
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance				
16-inch	7J x 16	65	FA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes				
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes				
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes				
	8J x 16	52,3/60	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes				
					91 H	Continental	TS 810	—	-	-	-	A	Yes				
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes				
94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes									
94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes									
17-inch	7,5J x 17	65	FA	225/45 R17 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes				
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes				
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes				
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes				
					8J x 16	52	RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes
									94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes
	94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes								
	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes								
	8J x 16	52	RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes				
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes				
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes				
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes				
91 H					Continental	TS 810	—	-	-	-	A	Yes					
94 V XL					Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes					
94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes									
94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes									
17-inch	7,5J x 17	65	FA	225/45 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	No				
	9J x 17	55	RA	255/40 R17 M+S	98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No				
	8J x 17 ***)	52	FA	225/45 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	No				
	9,5J x 17 ***)	68	RA	255/40 R17 M+S	98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No				

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Speed index:  
T = 190 km/h  
H = 210 km/h  
V = 240 km/h

Snow chain clearance only without spacers.

Use (in the event of several entries, depending on FA/RA combinations):  
A: For all areas  
B: For frequent motorway journeys  
C: For areas with a lot of snow

Exception: The tyres listed here without a specification code are also approved without restriction.

\*) Not for 944 S2, 944 Turbo.  
\*\*) Only for vehicles with sports chassis or 944 S2.  
\*\*\*) Not for cabriolet vehicles.

## Approved makes of winter tyres

Type 968		968 without sports chassis											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
	7J x 16	52,3/55	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
<b>16-inch</b>	8J x 16	52,3/55	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
	7.5J x 17	65	FA	225/45 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	No
<b>17-inch</b>	9J x 17	55	RA	255/40 R17 M+S	98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No
	8J x 17 *)	52	FA	225/45 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	No
	9.5J x 17 *)	68	RA	255/40 R17 M+S	98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Exception: The tyres listed here without a specification code are also approved without restriction.

Speed index:  
V = 240 km/h

Snow chain clearance only without spacers.

\*) Not for 968 Cabriolet.

Use (in the event of several entries, depending on FA/RA combinations):

A: For all areas

B: For frequent motorway journeys

C: For areas with a lot of snow

Type 928		928, S, S4 CS, GT, GTS up to model year 1988															
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance				
15-inch *)	7J x 15	65	FA/RA	195/65 R15 M+S	91 H	Dunlop	Winter Sport 3D	—	E	E	) 70 dB	A	Yes				
					91 T	Pirelli	W190 Snow Control Serie II	—	-	-	-	A	Yes				
					91 H	Vredestein	Snowtrac 3H	—	E	C	) 68 dB	B	Yes				
16-inch	7J x 16	65	FA/RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes				
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes				
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes				
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes				
					8J x 16	52	RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes				
	7,5J x 16	65	FA/RA	205/55 R16 M+S	94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes				
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes				
					91 H	Continental	TS 810	—	-	-	-	A	Yes				
					94 V XL	Dunlop	Winter Sport 3D	—	E	E	) 68 dB	A	Yes				
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes				
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes				
7J x 16	65	FA/RA	225/50 R16 M+S	93 H	Continental	TS 810	—	-	-	-	-	A	Yes				
				96 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes					
				96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C	) 72 dB	A	Yes					
				93 H	Continental	TS 810	—	-	-	-	A	Yes					
				96 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes					
				96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C	) 72 dB	A	Yes					
7,5J x 16	65	FA	225/50 R16 M+S	93 H	Continental	TS 810	—	-	-	-	-	A	Yes				
				96 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes					
				96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C	) 72 dB	A	Yes					
				93 H	Continental	TS 810	—	-	-	-	A	Yes					
				96 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes					
				96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C	) 72 dB	A	Yes					
17-inch	7,5J x 17	65	FA	225/45 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	Yes				
	8J x 17	52	RA	225/45 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	Yes				
	9J x 17	55	RA	255/40 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No				

Type 928		928, S, S4 CS, GT from 1989 to 1993											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
16-inch	7J x 16	65	FA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
	8J x 16	52	RA	205/55 R16 M+S	91 H	Continental	TS 810	—	-	-	-	A	Yes
					94 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes
					94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
7J x 16	65	FA	225/50 R16 M+S	93 H	Continental	TS 810	—	-	-	-	-	A	Yes
				96 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes	
				96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C	) 72 dB	A	Yes	
				93 H	Continental	TS 810	—	-	-	-	A	Yes	
				96 V XL	Nokian	WR G2	—	E	C	) 72 dB	B	Yes	
				96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C	) 72 dB	A	Yes	
17-inch	7,5J x 17	65	FA	225/45 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	Yes
	8J x 17	52	RA	225/45 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	Yes
	9J x 17	55	RA	255/40 R17 M+S	98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No

Type 928		GTS up to model year 1993											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
17-inch	7,5J x 17	65	FA	225/45 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	Yes
	8J x 17	52	RA	225/45 R17 M+S	94 V XL	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	Yes
	9J x 17	55	RA	255/40 R17 M+S	98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Exception: The tyres listed here without a specification code are also approved without restriction.

Speed index:  
H = 210 km/h  
V = 240 km/h

Snow chain clearance only without spacers.

\*) Only up to and including 1985 mod.

Use (in the event of several entries, depending on FA/RA combinations):

A: For all areas  
B: For frequent motorway journeys  
C: For areas with a lot of snow

## Approved makes of winter tyres

Type 964		Carrera 2, Carrera 4, Carrera RS, Speedster											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
16-inch	6J x 16	52,3/55	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
	8J x 16	52,3/55	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C	) 72 dB	A	Yes
	8J x 16	52,3/55	RA	225/50 R16 M+S	96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C	) 72 dB	A	Yes
17-inch	7J x 17	55	FA	205/50 R17 M+S	89 V	Pirelli	Winter 240 Snowsport	N1	E	C	) 72 dB	A	No
	8J x 17	52	RA	255/40 R17 M+S	91 V	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	No
					98 V XL	Pirelli	Winter 240 Snowsport	N1	E	C	) 73 dB	A	No
	9J x 17	55	RA	255/40 R17 M+S	98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No
					98 V XL	Pirelli	Winter 240 Snowsport	N1	E	C	) 73 dB	A	No
					98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No

  

Type 964		Turbo (mod. 1991 – 1992), Turbo S (mod. 1992), Turbo Look (mod. 1991 – mod. 1994)											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
17-inch	7J x 17	55	FA	205/50 R17 M+S	89 V	Pirelli	Winter 240 Snowsport	N1	E	C	) 72 dB	A	No
	8J x 17	52	RA	255/40 R17 M+S	91 V	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	No
					98 V XL	Pirelli	Winter 240 Snowsport	N1	E	C	) 73 dB	A	No
	9J x 17	55	RA	255/40 R17 M+S	98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No
					98 V XL	Pirelli	Winter 240 Snowsport	N1	E	C	) 73 dB	A	No
					98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No

  

Type 964		Turbo (MY 1993 – 1994)											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
17-inch	7J x 17	55	FA	205/50 R17 M+S	89 V	Pirelli	Winter 240 Snowsport	N1	E	C	) 72 dB	A	No
	8J x 17	52	RA	255/40 R17 M+S	91 V	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	No
					98 V XL	Pirelli	Winter 240 Snowsport	N1	E	C	) 73 dB	A	No
	9J x 17	55	RA	255/40 R17 M+S	98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No
					98 V XL	Pirelli	Winter 240 Snowsport	N1	E	C	) 73 dB	A	No
					98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No
18-inch	8J x 18	52/50	FA	225/40 R18 M+S	92 V XL	Dunlop	SP Winter Sport 3D	—	F	E	) 69 dB	A	No
	10J x 18	65/61	RA	265/35 R18 M+S	92 V XL	Pirelli	Winter 240 Snowsport	N3	E	C	) 72 dB	A	No
					94 V XL	Dunlop	SP Winter Sport 3D	—	E	C	) 71 dB	A	No
				97 V XL	Pirelli	Winter 240 Snowsport	N3	E	C	) 73 dB	A	No	

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Exception: The tyres listed here without a specification code are also approved without restriction.

Speed index:  
V = 240 km/h

Snow chain clearance only without spacers.

Use (in the event of several entries, depending on FA/RA combinations):

A: For all areas

B: For frequent motorway journeys

C: For areas with a lot of snow

## Approved makes of winter tyres

Type 993		Carrera, Carrera 4, Carrera RS											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
17-inch	7J x 17	55	FA	205/50 R17 M+S	89 V	Pirelli	Winter 240 Snowsport	N1	E	C	) 72 dB	A	No
					91 V	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	No
	9J x 17	70	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter 240 Snowsport	N1	E	C	) 72 dB	A	No
					98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No
18-inch *)	7,5J x 18	52	FA	225/40 R18 M+S	92 V XL	Dunlop	SP Winter Sport 3D	—	F	E	) 69 dB	A	No
					92 V XL	Pirelli	Winter 240 Snowsport	N3	E	C	) 72 dB	A	No
	8J x 18	52/50	FA	225/40 R18 M+S	92 V XL	Dunlop	SP Winter Sport 3D	—	F	E	) 69 dB	A	No
					92 V XL	Pirelli	Winter 240 Snowsport	N3	E	C	) 72 dB	A	No
	10J x 18	65	RA	265/35 R18 M+S	94 V XL	Dunlop	SP Winter Sport 3D	—	E	C	) 71 dB	A	No
					97 V XL	Pirelli	Winter 240 Snowsport	N3	E	C	) 73 dB	A	No

Type 993		Carrera S, Carrera 4S, Turbo, G12											
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Use	Snow-chain clearance
17-inch	7J x 17	55	FA	205/50 R17 M+S	89 V	Pirelli	Winter 240 Snowsport	N1	E	C	) 72 dB	A	No
					91 V	Vredestein	Wintrac Xtreme	—	E	E	) 69 dB	A	No
	9J x 17	70	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter 240 Snowsport	N1	E	C	) 72 dB	A	No
					98 W XL	Vredestein	Wintrac Xtreme	—	E	E	) 70 dB	A	No
18-inch	7,5J x 18	52	FA	225/40 R18 M+S	92 V XL	Dunlop	SP Winter Sport 3D	—	F	E	) 69 dB	A	No
					92 V XL	Pirelli	Winter 240 Snowsport	N3	E	C	) 72 dB	A	No
	8J x 18	52/50	FA	225/40 R18 M+S	92 V XL	Dunlop	SP Winter Sport 3D	—	F	E	) 69 dB	A	No
					92 V XL	Pirelli	Winter 240 Snowsport	N3	E	C	) 72 dB	A	No
	10J x 18	65	RA	265/35 R18 M+S	94 V XL	Dunlop	SP Winter Sport 3D	—	E	C	) 71 dB	A	No
					97 V XL	Pirelli	Winter 240 Snowsport	N3	E	C	) 73 dB	A	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Exception: The tyres listed here without a specification code are also approved without restriction.

Speed index:  
V = 240 km/h

Snow chain clearance only without spacers.

\*) Not for Targa; not for Cabriolet before model year 1996.

Use (in the event of several entries, depending on FA/RA combinations):

A: For all areas

B: For frequent motorway journeys

C: For areas with a lot of snow