

Recommended makes and types of summer tyres

Type 356										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size 15-inch	4.5J x 15	42	FA/RA	165 VR 15	Pirelli CN36	N4	-	-	-	356 B, all model years 356 C, all model years
	5.5J x 15	42	FA/RA	165 VR 15	Pirelli CN36	N4	-	-	-	356 C, all model years
	5.5J x 15	42	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	356 C, all model years
				185/70 VR 15	Pirelli CN36	N4	-	-	-	
6J x 15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	356 C, all model years	
			185/70 VR 15	Pirelli CN36	N4	-	-	-		

Only in conjunction with tyre size 165 VR 15: If the wheels that are used require the use of a tube, we recommend the Michelin 15 E 13 tube. The tyre can also be used without a tube on all other wheels.

Recommended makes and types of summer tyres

Type 911/912		up to 1968								
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
15-inch	4.5 or 5.5J x 15	42	FA/RA	165 VR 15	Pirelli CN36	N4	-	-	-	911, MY '65 - '67 912, MY '66 - '68
	6J x 15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	911, MY '65 - '67 912, MY '66 - '68
				185/70 VR 15	Pirelli CN36	N4	-	-	-	
	6J x 15	36	FA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	911, MY '65 - '67 912, MY '66 - '68
				185/70 VR 15	Pirelli CN36	N4	-	-	-	
	7J x 15	23	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	911, MY '65 - '67 912, MY '66 - '68
				215/60 VR 15	Pirelli CN36	N4	-	-	-	
	6J x 15	36	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	911, MY '65 - '67 912, MY '66 - '68
6J x 15	36	FA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	911, MY '65 - '67	
7J x 15	23	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	912, MY '66 - '68	
Type 911		as of 1969								
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
15-inch	6J x 15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	911, from MY '69
	6J x 15	36	FA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	911, from MY '69
				185/70 VR 15	Pirelli CN36	N4	-	-	-	
	7J x 15	23	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	911, from MY '69
				215/60 VR 15	Pirelli CN36	N4	-	-	-	
	6J x 15	36	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	911, from MY '69
	6J x 15	36	FA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	911, from MY '69
7J x 15	23	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	911, from MY '69	
16-inch	6J x 16	36	FA	205/55 ZR16	Continental ContiSportContact	N2	F	B)) 71 dB	911, from MY '69
					Michelin Pilot Exalto 2	N0	F	B)) 71 dB	
					Pirelli P Zero Rosso	N4	G	A)) 71 dB	
	7J x 16	23	RA	205/55 ZR16	Continental ContiSportContact	N2	F	B)) 71 dB	911, from MY '69
					Michelin Pilot Exalto 2	N0	F	B)) 71 dB	
					Pirelli P Zero Rosso	N4	G	A)) 71 dB	
	6J x 16	36	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A)) 71 dB	911, from MY '69
					Pirelli P Zero Rosso	N4	G	A)) 71 dB	
					Continental ContiSportContact	N2	F	B)) 71 dB	
					Michelin Pilot Exalto 2	N0	F	B)) 71 dB	
Pirelli P Zero Asimmetrico					N3	F	B))) 73 dB		
Pirelli P Zero Rosso					N4	G	A)) 71 dB		
7J x 16	23	RA	225/50 ZR16	Continental ContiSportContact	N2	F	B)) 71 dB	911, from MY '69	
				Michelin Pilot Exalto 2	N0	E	B)) 71 dB		
				Pirelli P Zero Rosso	N4	G	A)) 71 dB		
				Continental ContiSportContact	N2	F	B)) 71 dB		
Type 911		3.0 Turbo (930), 3.0 Carrera								
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
15-inch	6J x 15	36	FA	205/50 ZR15	Pirelli P7 Cinturato	N4	-	-	-	911 Carrera 3.0 (MY '75 - '76)
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB	
	7J x 15	23	RA	225/50 ZR15	Pirelli P7 Cinturato	N4	-	-	-	911 Carrera 3.0 (MY '75 - '76) 911 3.0 Turbo (MY '75 - '76)
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB	
7J x 15	23	FA	205/50 ZR15	Pirelli P7 Cinturato	N4	-	-	-	911 Carrera 3.0 (MY '75 - '76)	
8J x 15	11	RA	225/50 ZR15	Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB	911 3.0 Turbo (MY '75 - '76)	
				Pirelli P7 Cinturato	N4	-	-	-		
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB		

Type 911		Turbo (930), Carrera "Turbo Look"								
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
16-inch	7J x 16	23	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A) 71 dB	911 Turbo (MY '75 - '89) 911 Carrera "Turbo Look" (MY '85 - '86)
					Pirelli P Zero Rosso	N4	G	A) 71 dB	
					Continental ContiSportContact	N2	F	B) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB	
					Pirelli P Zero Asimmetrico	N3	F	B) 73 dB	
					Pirelli P Zero Rosso	N4	G	A) 71 dB	
	8J x 16	11	RA	225/50 ZR16	Continental ContiSportContact	N2	F	B) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB	
					Pirelli P Zero Rosso	N4	G	A) 71 dB	
					Continental ContiSportContact	N2	F	B) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB	
					Pirelli P Zero Rosso	N4	G	A) 71 dB	
7J x 16	23	FA	205/55 ZR 16	Continental ContiSportContact	N2	F	B) 71 dB	911 Carrera "Turbo Look"	
				Pirelli P Zero Rosso	N4	G	A) 71 dB		
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB		
				Continental ContiSportContact	N2	F	B) 71 dB		
				Pirelli P Zero Rosso	N4	G	A) 71 dB		
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB		
9J x 16	15	RA	245/45 ZR 16	Continental ContiSportContact	N2	F	B) 71 dB		
				Pirelli P Zero Rosso	N4	G	A) 71 dB		
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB		
				Continental ContiSportContact	N2	F	B) 71 dB		
				Pirelli P Zero Rosso	N4	G	A) 71 dB		
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB		

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h (150 mph) 1) Ultra High Performance tyres
W = 270 km/h (170 mph)

Only in conjunction with tyre size 165 VR 15: If the wheels that are used require the use of a tube, we recommend the Michelin 15 E 13 tube. The tyre can also be used without a tube on all other wheels.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 914/6										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size 15-inch	5.5J x 15	42	FA/RA	165 VR 15	Pirelli CN36	N4	-	-	-	914/6, MY '70 - '72
	6J x 15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	914/6, MY '70 - '72
				185/70 VR 15	Pirelli CN36	N4	-	-	-	
	6J x 15	36	FA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	914/6, MY '70 - '72
				185/70 VR 15	Pirelli CN36	N4	-	-	-	
	7J x 15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	
				215/60 VR 15	Pirelli CN36	N4	-	-	-	
	6J x 15	36	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	914/6, MY '70 - '72
	6J x 15	36	FA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	914/6, MY '70 - '72
	7J x 15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h (150 mph)
W = 270 km/h (170)

Only in conjunction with tyre size 165 VR 15: If the wheels that are used require the use of a tube, we recommend the Michelin 15 E 13 tube. The tyre can also be used without a tube on all other wheels.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturers' certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 924	EU tyre label									
	Size	RO	Axles	Tyre size	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission	Vehicles
Wheel size 15-inch	6J x 15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	924 Turbo, MY '79 - '82 924 Carrera GT, MY '81
				185/70 VR 15	Pirelli CN36	N4	-	-	-	
	7J x 15	23,3	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	924 Turbo, MY '79 - '82 924 Carrera GT, MY '81
	7J x 15	23,3	FA/RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	924 Turbo, MY '79 - '82 924 Carrera GT, MY '81
				215/60 VR 15	Pirelli CN36	N4	-	-	-	
Wheel size 16-inch	6J x 16	52,3/ 53	FA/RA	205/55 ZR16	Continental ContiSportContact	N2	F	B) 71 dB	924 Turbo, MY '79 - '82 924 S, MY '86 - '88
					Michelin Pilot Exalto 2	N0	F	B) 71 dB	
					P Zero Rosso	N4	G	A) 71 dB	
	6J x 16	52,3/ 53	FA	205/55 ZR16	Continental ContiSportContact	N2	F	B) 71 dB	924 Turbo, MY '79 - '82 924 S, MY '86 - '88
					Michelin Pilot Exalto 2	N0	F	B) 71 dB	
					P Zero Rosso	N4	G	A) 71 dB	
	7J x 16	52,3/ 55	RA	205/55 ZR16	Continental ContiSportContact	N2	F	B) 71 dB	
					Michelin Pilot Exalto 2	N0	F	B) 71 dB	
					P Zero Rosso	N4	G	A) 71 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h (150 mph)
W = 270 km/h (170 mph)

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 928										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size 16-inch	7J x 16	65	FA/RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B))) 73 dB	928, MY '78 - '82 928 S, MY '80 - '86
					P Zero Rosso	N4	G	A) 71 dB	
					Continental ContiSportContact	N2	F	B) 71 dB	
					Michelin Pilot Exalto 2	N0	E	B) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB	
	7J x 16	65	FA	225/50 ZR16	Continental ContiSportContact	N2	F	B) 71 dB	928 S4, CS, GT '89
					P Zero Rosso	N4	G	A) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB	
	8J x 16	52,3	RA	245/45 ZR16	Continental ContiSportContact	N2	F	B) 71 dB	
					P Zero Rosso	N4	F	A) 71 dB	
Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB						
Wheel size 17-inch	7.5J x 17	65	FA	225/45 ZR17	Michelin Pilot Sport 2	N3	E	A) 69 dB	928 S4, CS, GT '89, GTS
					P Zero Rosso	N3	G	A) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB	
	9J x 17	55	RA	255/40 ZR17	Michelin Pilot Sport 2	N3	E	A) 70 dB	
					P Zero Rosso	N3	E	A) 72 dB	
Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB						

Only tyres of the same make and type, with the same speed index and the same specification code

(N0, N1, N2, ...) may be used on a vehicle.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturers' certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 944										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size 15-inch	7J x 15	23,3	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E))) 71 dB	944, MY '82 - '86
				185/70 VR 15	Pirelli CN36	N4	-	-	-	
	7J x 15	23,3	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C))) 72 dB	944, MY '82 - '86
	7J x 15	23,3	FA/RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	944, MY '82 - '86
			215/60 VR 15	Pirelli CN36	N4	-	-	-		
	8J x 15	10,6	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C))) 73 dB	
				215/60 VR 15	Pirelli CN36	N4	-	-	-	
Wheel size 16-inch	7J x 16	23,3	FA/RA	205/55 ZR16	Michelin Pilot Exalto 2	N0	F	B)) 71 dB	944, MY '82 - '86
					Continental ContiSportContact	N2	F	B)) 71 dB	
					P Zero Rosso	N4	G	A)) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB	
	7J x 16	23,3	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A)) 71 dB	944, MY '82 - '86
					P Zero Rosso	N4	G	A)) 71 dB	
					Continental ContiSportContact	N2	F	B)) 71 dB	944 Turbo, MY '85 - '86
					Michelin Pilot Exalto 2	N0	F	B)) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB	
					Pirelli P Zero Asimmetrico	N3	F	B))) 73 dB	
	8J x 16	23,3	RA	225/50 ZR16	P Zero Rosso	N4	G	A)) 71 dB	
					Continental ContiSportContact	N2	F	B)) 71 dB	
					Michelin Pilot Exalto 2	N0	E	B)) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB	
	7J x 16	52,3/ 55	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A)) 71 dB	944, MY '87 - '89
					P Zero Rosso	N4	G	A)) 71 dB	
					Continental ContiSportContact	N2	F	B)) 71 dB	944 S, MY '87 - '88
					Michelin Pilot Exalto 2	N0	F	B)) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB	944 S2, MY '89 - '91
					Pirelli P Zero Asimmetrico	N3	F	B))) 73 dB	
	8J x 16	52,3/ 52	RA	225/50 ZR16	P Zero Rosso	N4	G	A)) 71 dB	
					Continental ContiSportContact	N2	F	B)) 71 dB	
					Michelin Pilot Exalto 2	N0	E	B)) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB	
7J x 16	65	FA	225/50 ZR16	Continental ContiSportContact	N2	F	B)) 71 dB	944 S2 R01 chassis	
				P Zero Rosso	N4	G	A)) 71 dB		
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB		
				Continental ContiSportContact	N2	F	B)) 71 dB		
9J x 16	60	RA	245/45 ZR16	P Zero Rosso	N4	F	A)) 71 dB		
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB		
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB		
Wheel size 17-inch	7.5J x 17	65	FA	225/45 ZR17	Michelin Pilot Sport 2	N3	E	A)) 69 dB	944, MY '87 - '89
					P Zero Rosso	N3	G	A)) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB	944 S, MY '87 - '88
					Michelin Pilot Sport 2	N3	E	A)) 70 dB	
	9J x 17	55	RA	255/40 ZR17	P Zero Rosso	N3	E	A)) 72 dB	944 S2, MY '89 - '91
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B)) 71 dB		

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 959										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emission	
Wheel size	8J x 17 DL	44	FA	235/45 ZR17	Bridgestone RE 71	N0	F	F))) 80 dB	959
17-inch	10J x 17 DL	28,3	RA	255/40 ZR17	Bridgestone RE 71	N0	F	F))) 80 dB	

Only tyres of the same make and type, with the same speed index and the same specification code

(N0, N1, N2, ...) may be used on a vehicle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturers' certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 964	EU tyre label									Vehicles												
	Size	RO	Axles	Tyre size	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emission													
Wheel size 16-inch	6J x 16	52/ 52,3	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A) 71 dB	964 Carrera 2, MY '90 - '94 964 Carrera 4, MY '89 - '94 964 Carrera RS, MY '92 964 Speedster, MY '93 & '94												
					P Zero Rosso	N4	G	A) 71 dB													
					Michelin Pilot Exalto 2	N0	F	B) 71 dB													
					Continental ContiSportContact	N2	F	B) 71 dB													
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB													
	8J x 16	52/ 52,3	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B) 73 dB													
					Michelin Pilot Exalto 2	N0	E	B) 71 dB													
					Continental ContiSportContact	N2	F	B) 71 dB													
					P Zero Rosso	N4	G	A) 71 dB													
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB													
	7J x 16	55	FA	205/55 ZR16	Continental ContiSportContact	N2	F	B) 71 dB	964 Carrera 4, MY '89 - '94 964 Carrera RS, MY '92												
					P Zero Rosso	N4	G	A) 71 dB													
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB													
	9J x 16 *)	52,3	RA	245/45 ZR16	Continental ContiSportContact	N2	F	B) 71 dB													
					P Zero Rosso	N4	F	A) 71 dB													
Pirelli P Zero Trofeo R ¹⁾					N0	F	B) 71 dB														
Wheel size 17-inch	7J x 17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A) 71 dB	964 Carrera 2, MY '90 - '94 964 Carrera 4, MY '89 - '94 964 Carrera RS, MY '92 964 Speedster, MY '93 & '94												
					Continental ContiSportContact2	N2	G	B) 71 dB													
					Michelin Pilot Sport 2	N3	E	A) 71 dB													
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB													
					Pirelli P Zero Rosso	N3	E	A) 72 dB													
	8J x 17	52	RA	255/40 ZR17	Continental ContiSportContact2	N2	G	B) 72 dB													
					Michelin Pilot Sport 2	N3	E	A) 70 dB													
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB													
					Pirelli P Zero Rosso	N3	E	A) 71 dB													
					Continental ContiSportContact2	N2	G	B) 72 dB													
	7J x 17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A) 71 dB	964 Carrera 2, MY '90 - '94 964 Carrera 4, MY '89 - '94 964 Carrera RS, MY '92 964 Speedster, MY '93 & '94												
					Continental ContiSportContact2	N2	G	B) 71 dB													
					Michelin Pilot Sport 2	N3	E	A) 71 dB													
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB													
					Pirelli P Zero Rosso	N3	E	A) 72 dB													
9J x 17	55	RA	255/40 ZR17	Continental ContiSportContact2	N2	G	B) 72 dB														
				Michelin Pilot Sport 2	N3	E	A) 70 dB														
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB														
				Pirelli P Zero Rosso	N3	E	A) 71 dB														
				Continental ContiSportContact2	N2	G	B) 72 dB														
Type 964 Turbo	Turbo						EU tyre label			Vehicles												
							Wheel size 17-inch	7J x 17	55		FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A) 71 dB	964 Turbo, MY '91 & '92 964 Turbo S, MY '92 964 C2 "Turbo Look" '92 - '93 964 C4 "Turbo Look" '93 & '94				
													Continental ContiSportContact2	N2	G	B) 71 dB					
													Michelin Pilot Sport 2	N3	E	A) 71 dB					
													Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB					
													Pirelli P Zero Rosso	N3	E	A) 72 dB					
								9J x 17	55		RA	255/40 ZR17	Continental ContiSportContact2	N2	G	B) 72 dB					
													Michelin Pilot Sport 2	N3	E	A) 70 dB					
													Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB					
													Pirelli P Zero Rosso	N3	E	A) 71 dB					
													Continental ContiSportContact2	N2	G	B) 72 dB					
								8J x 17	52		FA	225/45 ZR17	Bridgestone S01 **)	N0	-	-	-	964 Turbo, MY '91 & '92 964 Turbo S, MY '92 964 C2 "Turbo Look" '92 - '93 964 C4 "Turbo Look" '93 & '94				
													9.5J x 17 *)	68	RA	275/35 ZR17	Bridgestone S01 **)		N0	F	C) 73 dB
Wheel size 18-inch	8J x 18	52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A) 71 dB	964 Turbo 3.6, MY '93 & '94												
					Bridgestone Potenza S-02A	N3	G	C) 70 dB													
					Continental ContiSportContact2	N2	G	B) 71 dB													
					Michelin Pilot Sport 2	N3	E	A) 69 dB													
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB													
	10J x 18	65/ 61	RA	265/35 ZR18	Pirelli P Zero Rosso	N4	E	A) 72 dB													
					Bridgestone Potenza S-02A	N3	F	C) 72 dB													
					Continental ContiSportContact2	N2	G	B) 72 dB													
					Michelin Pilot Sport 2	N3	E	A) 72 dB													
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB													

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

*) 17-mm spacers on rear axle.

***) Production of this tyre was discontinued. A successor is currently being developed.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 968										
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resist- ance	Wet grip	Noise emission	
17-inch	7.5J x 17	65	FA	225/45 ZR17	Bridgestone Potenza S-02	N3	G	C))) 72 dB	968, MY '92 - '95 968 CS, MY '93 - '95
					Michelin Pilot Sport 2	N3	E	A) 69 dB	
					P Zero Rosso	N3	G	A) 71 dB	
	9J x 17	55	RA	255/40 ZR17	Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB	
					Bridgestone Potenza S-02	N3	F	C) 71 dB	
					Michelin Pilot Sport 2	N3	E	A) 70 dB	
				P Zero Rosso	N3	E	A) 72 dB		
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB		

Type 968 Turbo S										
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resist- ance	Wet grip	Noise emission	
18-inch	8J x 18	53	FA	235/40 ZR18	Pirelli P Zero Rosso	N4	E	A) 71 dB	968 Turbo S, MY '93
	10J x 18	65	RA	285/30 ZR18	Pirelli P Zero Rosso	N4	E	A) 73 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 993										
Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles	
						Rolling resist- ance	Wet grip	Noise emission		
Wheel size 16-inch	7J x 16	55	FA	205/55 ZR16	Continental ContiSportContact	N2	F	B) 71 dB	993 Carrera, MY '94 - '98
					P Zero Rosso	N4	G	A) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB	
	9J x 16	70	RA	245/45 ZR16	Continental ContiSportContact	N2	F	B) 71 dB	
					P Zero Rosso	N4	F	A) 71 dB	
Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB						
Wheel size 17-inch	7J x 17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A) 71 dB	993 Carrera, MY '94 - '98
					Bridgestone Potenza S-02A	N4	F	C) 71 dB	
					Continental ContiSportContact2	N2	G	B) 71 dB	
					Michelin Pilot Sport 2	N3	E	A) 71 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB	
	9J x 17	55	RA	255/40 ZR17	Pirelli P Zero Rosso	N3	E	A) 72 dB	993 Carrera S, MY '97 & '98
					Bridgestone Potenza S-02A	N4	F	C) 72 dB	
					Continental ContiSportContact2	N2	G	B) 72 dB	
					Michelin Pilot Sport 2	N3	E	A) 70 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB	
Wheel size 18-inch	8J x 18	50/ 52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A) 71 dB	993, MY '94 - '98
					Bridgestone Potenza S-02A	N3	G	C) 70 dB	
					Continental ContiSportContact2	N2	G	B) 71 dB	
	10J x 18	65	RA	265/35 ZR18	Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB	993 Carrera RS, '95 & '96 not for: Targa, Cabriolet before '96
					Pirelli P Zero Rosso	N4	E	A) 72 dB	
					Bridgestone Potenza S-02A	N3	F	C) 72 dB	
					Continental ContiSportContact2	N2	G	B) 72 dB	
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB	
Type 993 GT 2										
Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles	
						Rolling resist- ance	Wet grip	Noise emission		
Wheel size 18-inch	8J x 18	52	FA	235/40 ZR18	Pirelli P Zero Rosso	N4	E	A) 71 dB	993 GT 2, MY '96 - '97
	10J x 18	40	RA	285/30 ZR18	Pirelli P Zero Rosso	N4	E	A) 73 dB	
	10J x 18	40	RA	295/30 ZR18	Pirelli P Zero Rosso	N4	F	F) 80 dB	
Type 993 Turbo										
Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles	
						Rolling resist- ance	Wet grip	Noise emission		
Wheel size 18-inch	8J x 18	52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A) 71 dB	993 Turbo
					Bridgestone Potenza S-02A	N3	G	C) 70 dB	
					Continental ContiSportContact2	N2	G	B) 71 dB	
					Michelin Pilot Sport 2	N3	E	A) 69 dB	
	10J x 18	40/ 65*)	RA	285/30 ZR18	Pirelli P Zero Rosso	N4	E	A) 73 dB	993 Carrera S 993 Carrera 4S 993 Turbo Look
					Bridgestone Potenza S-02A	N3	G	C) 73 dB	
					Continental ContiSportContact2	N2	G	B) 74 dB	
					Michelin Pilot Sport 2	N3	E	A) 74 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

*) 25-mm spacers on rear axle

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 986														
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles				
							Rolling resistance	Wet grip	Noise emission					
Wheel size 16-inch	6J x 16	50	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A) 71 dB	986, all				
					P Zero Rosso	N4	G	A) 71 dB					
					Michelin Pilot Exalto 2	N0	F	B) 71 dB					
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB					
					Continental ContiSportContact	N2	F	B) 71 dB					
	7J x 16	40	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B) 73 dB					
					P Zero Rosso	N4	G	A) 71 dB					
					Michelin Pilot Exalto 2	N0	E	B) 71 dB					
					Continental ContiSportContact	N2	F	B) 71 dB					
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB					
Wheel size 17-inch	7J x 17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A) 71 dB	986, all 986 S, all				
					Bridgestone Potenza S-02A	N4	F	C) 71 dB					
					Bridgestone Potenza S-02	N3	G	C) 71 dB					
					Continental ContiSportContact2	N2	G	B) 71 dB					
					Michelin Pilot Sport 2	N3	E	A) 71 dB					
	8.5J x 17	50/ 48	RA	255/40 ZR17	Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB					
					Pirelli P Zero Rosso	N3	E	A) 72 dB					
					Bridgestone Potenza S-02A	N4	F	C) 72 dB					
					Bridgestone Potenza S-02	N3	G	C) 71 dB					
					Continental ContiSportContact2	N2	G	B) 72 dB					
				Michelin Pilot Sport 2	N3	E	A) 70 dB						
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB						
				Wheel size 18-inch	7.5J x 18	50	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A) 71 dB	986, from MY '98 986 S, all
									Bridgestone Potenza S-02A	N3	G	C) 70 dB	
									Continental ContiSportContact2	N2	G	B) 71 dB	
Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB					
Pirelli P Zero Rosso	N4	E	A) 72 dB					
9J x 18	52	RA	265/35 ZR18	Bridgestone Potenza S-02A	N3	F	C) 72 dB						
				Continental ContiSportContact2	N2	G	B) 72 dB						
				Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB						

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

Recommended makes and types of summer tyres

Type 996																
Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles							
						Rolling resistance	Wet grip	Noise emission								
Wheel size 17-inch	7J x 17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A) 71 dB	996 C2/C4 up to MY '01						
					Bridgestone Potenza S-02A	N4	F	C) 71 dB							
					Continental ContiSportContact2	N2	G	B) 71 dB							
					Michelin Pilot Sport 2	N3	E	A) 71 dB							
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB							
					Pirelli P Zero Rosso	N3	E	A) 72 dB							
	9J x 17	55	RA	255/40 ZR17	Bridgestone Potenza S-02A	N4	F	C) 72 dB							
					Continental ContiSportContact2	N2	G	B) 72 dB							
					Michelin Pilot Sport 2	N3	E	A) 70 dB							
					Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB							
					Type 996 Turbo											
					Wheel size 18-inch	7.5J x 18	50	FA	225/40 ZR18		Pirelli P Zero Rosso	N4	E	A) 71 dB	996 C2/C4 up to MY '01
Bridgestone Potenza S-02A	N3	G	C) 70 dB												
Continental ContiSportContact2	N2	G	B) 71 dB												
Pirelli P Zero Trofeo R ¹⁾	N0	F	B) 71 dB												
Pirelli P Zero Rosso	N4	E	A) 72 dB												
Bridgestone Potenza S-02A	N3	F	C) 72 dB												
10J x 18	65	RA	265/35 ZR18	Continental ContiSportContact2		N2	G	B) 72 dB							
				Pirelli P Zero Trofeo R ¹⁾		N0	F	B) 71 dB							
				Type 996 Turbo												
				8J x 18		50/52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A) 71 dB	996 C2/C4 from MY '02		
									Bridgestone Potenza S-02A	N3	G	C) 70 dB			
									Continental ContiSportContact2	N2	G	B) 71 dB			
Michelin Pilot Sport 2	N3	E	A) 69 dB							
Pirelli P Zero Rosso	N4	E	A) 73 dB							
Bridgestone Potenza S-02A	N3	G	C) 73 dB							
10J x 18	65	RA	285/30 ZR18	Continental ContiSportContact2		N2	G	B) 74 dB							
				Michelin Pilot Sport 2		N3	E	A) 74 dB							
				Type 996 Turbo												
				Wheel size 18-inch		8J x 18	53	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A) 71 dB	996 Turbo/S
										Pirelli P Zero Rosso	N4	E	A) 73 dB	
						10J x 18	65	RA	285/30 ZR18							
Pirelli P Zero Rosso	N4	E	A) 71 dB						
Continental ContiSportContact2	N2	G	B) 71 dB						
Michelin Pilot Sport 2	N3	E	A) 69 dB						
11J x 18	45	RA	295/30 ZR18		Pirelli P Zero Rosso	N4	E	A) 73 dB							
					Continental ContiSportContact2	N2	G	B) 74 dB							
					Michelin Pilot Sport 2	N3	E	A) 74 dB							
					Type 996 911 GT2											
					Wheel size 18-inch	8.5 J x 18	40	FA	235/40 ZR18	Michelin Pilot Sport 2	N4	E	B) 69 dB	996 GT2, from MY '01 - '05	
										P Zero Rosso	N4	E	A) 71 dB		
12 J x 18	45	RA	315/30 ZR18	Michelin Pilot Sport 2		N4	E	A) 74 dB							
				P Zero Rosso		N4	E	A) 74 dB							
				Type 996 911 GT3/911 GT3 RS												
Wheel size 18-inch	8 J x 18	50	FA	225/40 ZR18	Bridgestone Potenza S02A	N3	G	C) 70 dB	911 GT3 up to MY '01						
					Continental ContiSportContact2	N2	G	B) 71 dB							
					Michelin Pilot Sport 2	N3	E	A) 69 dB							
					Bridgestone Potenza S02A	N3	F	B) 73 dB							
					Continental ContiSportContact2	N2	G	B) 74 dB							
					Michelin Pilot Sport 2	N3	E	A) 74 dB							
	11 J x 18	63	RA	295/30 ZR18												
					Type 996 911 GT3/RS MY '04/07											
					8.5 J x 18	40	FA	235/40 ZR18	Michelin Pilot Sport 2		N4	E	B) 69 dB		
									Pirelli P Zero Rosso		N4	E	A) 71 dB		
					11 J x 18	63	RA	295/30 ZR18	Michelin Pilot Sport 2		N4	E	A) 74 dB		
									Pirelli P Zero Rosso		N4	E	A) 73 dB		

Only tyres of the same make and type, with the same speed index and the same specification code

(N0, N1, N2, ...) may be used on a vehicle.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant